

THE COMBINED ORTHO / PARA HYDROGEN ASSIGNMENTS IN H₂ METAL CHLORIDES

DANIEL A. OBENCHAIN, *Department of Chemistry, Wesleyan University, Middletown, CT, USA*; G. S. GRUBBS II, *Department of Chemistry, Missouri University of Science and Technology, Rolla, MO, USA*; DEREK S. FRANK, HERBERT M. PICKETT, STEWART E. NOVICK, *Department of Chemistry, Wesleyan University, Middletown, CT, USA*.

The rotational spectra of H₂-AgCl and H₂-AuCl have been measured using a cavity FTMW spectrometer equipped with a laser ablation source. A combination of isotopic substitution, including HD and D₂ substitutions, and the spin-spin interaction of *ortho* hydrogen were used to determine the structures of these species. Trends in these structures and the strengths of the H₂ interaction will be discussed.

Previous work with hydrogen containing complexes have shown that separate spectra are observed for the both the *ortho* and *para* hydrogen species.^{a;b;c} In this work, *ortho* and *para* hydrogen are assigned together. The a-axis in the present species is coincident with internal rotation axis of hydrogen. This symmetry, along with a covalent interaction of the H₂ with the metal chlorides, allows for a straightforward global assignment of the *ortho* and *para* species. The differences in the present study from the previous works will be discussed, as well as the assignment of the combined *ortho* and *para* fits.

^aY. Zhenhong, K. J. Higgins, W. Klemperer, M. C. McCarthy and P. Thaddeus, *J. Chem. Phys.*, **123**(2005) 221106.

^bJ. M. Michaug, W. C. Topic, W. Jäger, *J. Phys. Chem. A.*, **115**(2011) 9456.

^cM. Ishiguro, K. Harada, K. Tanaka, Y. Sumiyoshi, Y. Endo, *Chem. Phys. Lett.*, **554**(2012) 33.